

SQUAREDEAL

Established 1987

Telephone: 0800 7312092

www.squaredealupvc.co.uk

email: info@squaredealupvc.co.uk

Branches at:

Unit 11
BROOKSIDE BUSINESS PARK
BROOKSIDE AVENUE
RUSTINGTON
WEST SUSSEX BN16 3LP

UNIT D16
BARWELL BUSINESS PARK
LEATHERHEAD ROAD
CHESSINGTON
SURREY KT9 2NY

12 QUESTIONS TO ASK WHEN HAVING A QUOTATION.

	SQUAREDEAL YES/NO	Other Company YES/NO	Other Company YES/NO
1) Is the timber being removed?	YES		
2) Is the sarking felt being replaced?	YES		
3) Is hollow soffit being fitted?	NO		
4) Are 7m boards being used to minimise joints?	YES		
5) Are any possible extras listed on your quote.	YES		
6) Are access requirements included in the quotation?	YES		
7) Is all rubbish removed from site?	YES		
8) Are all telephone lines dealt with?	YES		
9) Is all work inspected on completion prior to payment?	YES		
10) Is a deposit charged?	NO		
11) Do you give a written specification.	YES		
12) Do you give a list of jobs carried out.	YES		



SQUAREDEAL

ESTABLISHED 1987



Thank you for your enquiry. We are pleased to present ourselves for the consideration of fitting uPVC products to your property.

You will find the attached papers telling you who we are and how we conduct ourselves in fulfilling your requirements.

Whatever your individual needs, we will be pleased to meet at a mutually agreed time to discuss them.

There is no obligation – we are not pressure salesmen – we aim to provide a quality service to meet your needs, recognising the importance of such an investment.

As a further gesture of good-will, we do not require any deposit and will ask for payment only on satisfactory completion.

We will provide a detailed quotation, together with a specification of work to be undertaken, and can offer a degree of flexibility on the installation timing. We maintain a list of our completed installations and will be pleased to let you use this as a reference to the quality of our workmanship. In addition, you will be welcome to inspect both current and/or existing installations.

We are available to help and advise; prior to, during the contract, and in support, once the installation has been completed. We are proud of our reputation for providing a Quality Service, and appreciate the many references passed forward from our already satisfied customers.

We currently operate from two branches, Rustington and Chessington, and you are very welcome to visit us at any time from 8.00 am – 5.00 pm Monday to Friday. The address and phone numbers can be found on the front of the folder.

SQUAREDEAL

THE COMPANY

We are a family business, specialising in the Supply and Installation of high quality uPVC fasciaboards, bargeboards, soffits, claddings and guttering for the maintenance-free protection of the exterior of your property.

We have been established since 1987, supplying a range of products to the trade in addition to employing our own teams of skilled installers. We never use sub-contractors.

On agreement to proceed, a more detailed (free of charge) survey will be undertaken, both confirming measurements before material is allocated, and assessing any access issues, to ensure that the fitters may perform a quality installation.

On satisfactory completion of the contract, **SQUAREDEAL** provides a guarantee of 10 years on the installation workmanship. An Insurance underwritten guarantee is also provided.

THE PRODUCTS

The extensive product range includes fascias, bargeboards and soffits together with various cladding and associated rainwater gutters and downpipe systems. Maintenance is limited to an occasional wash-down with water, using a household detergent. We provide a uPVC cleaner, free-of-charge, for more stubborn stains.

From a range of top quality manufacturer's products (conforming to British Standards) we will provide the advice as to which will best suit the particular property. It should be recognised that all such manufacturers produce their particular products from the same basic raw materials, and the specific design and colour are subject to their own individual processes.

It is a combination of this quality and the skill of our fitters that will result in a high quality installation.

SQUAREDEAL will not provide or install the lower quality products, and potential customers should be aware of this when considering such an installation. An example of this is HOLLOW SOFFIT BOARD which all customers should be aware is a cheap, inferior product that suffers from brittleness in a short space of time.

When considering having your property fitted with uPVC protection, there are different ways of fulfilling such a task and the first two sections deal with the various approaches other companies may suggest.

1. Covering over existing timber with uPVC boarding

If you are considering having your existing timber covered with uPVC (known in the trade as "capping"), it would be prudent to take stock of the problems that would almost certainly result from this type of installation.

The principle issue is as follows:

Beneath your wooden Fascia, there are the ends of the rafters (rafter feet), (Gable Beams in the case of Bargeboards and Battens in the case of Cladding), any of which will more than likely have been affected by ROT, due to the ingress of rainwater through various areas, e.g. rotting sarking felt, cracking roof tiles and, in most cases, damaged cemented verges.

In our experience, which is extremely considerable, four out of five properties will show rot to some degree when the wooden fascias are removed.

One can appreciate the gravity of covering the existing wooden Fascias, and needless to say, there is not a single point in its favour.

In short, it is a very inefficient and costly way of fitting, when taking into account the cost of remedial work due to the effects of the covered-up rot.

It should also be noted that, when selling a property, surveyors are now very aware of this kind of installation.

2. Direct fitting of uPVC to Rafter Feet

Having the knowledge that there could be rot somewhere beneath your fascia, the only logical way forward is to remove all such timbers.

In this way, any further rot will be seen and dealt with by cutting it out and replacing with new, treated timber.

At this stage it is important to know which sections of your property are load bearing.

Basically, all Fasciaboards are load bearing.

The reasons are as follows:

- a) they have to accommodate the weight of the overhanging roof tiles;
- b) they have to accommodate the weight of the guttering and downpipe systems, including the rainwater! and
- c) the soffit, if there is one, is secured to the underside of the Fasciboard.

Adding these three functions together gives the Fasciboard quite a responsibility. It should be recognised that rigid uPVC products constitute a skinned closed cell foam, manufactured by an extrusion process, and as such are not designed to be load bearing. Therefore, it is for these reasons why we insist on fitting a new tanalised timber backing board.

Fitting the uPVC boarding directly to the end-grain of the Rafter Feet will not offer you the security that fitting to the crossgrain of the tanalised timber would provide, and it is for the above reasons why we would not be prepared to install to any property in this manner.

The Quotation you will receive from us will refer to the appropriate sections of the Squaredeal Specification, which is on the following page.

THE SQUAREDEAL SPECIFICATION

1. FASCIA BOARDS

All exterior timber is removed to allow us to deal with any rot that is present.

Where necessary, all exposed timber is treated with an industrial rot-proofing preservative.

All existing sarking felt is replaced with new sarking trays that support existing felt, should the roofing tiles allow this—the vast majority do. If this is not the case, we will fit reinforced plastic underslaters felt that will not rot.

Because of the load bearing requirements, discussed previously, we now fit new, tanalised timber to the rafter feet. (Tanalising is a pressurised preservative treatment carried out in a factory process).

This now provides the security to enable us to fit the uPVC boarding onto the tanalised timber, using 30mm ring-shanked marine grade stainless steel plastic headed Pins. These pins are virtually unobtrusive when viewing the completed installation.

The new guttering, to the colour and style of your choice, can now be securely fitted.

2. BARGEBOARDS

As with the Fasciaboards, only by removing the existing bargeboards can any rot in the gable beam be exposed. For similar reasons, it is ill advised to cover the existing bargeboards.

If, after removal of the bargeboards, the gable rafter is in good condition, it will be treated with an industrial rot-proofing preservative, if required, and the new uPVC Soffit and Bargeboards, as appropriate, will be fitted.

The bargeboard is not load bearing, and can be fitted directly to the gable beam, using marine grade stainless steel, plastic headed pins into the cross grain of the gable timber. The character of the bargeboards end box will be maintained or enhanced at all times.

Should the gable beam be rotten, this could mainly be due to cracking in the cemented verge. Where cracks appear, and even worse, where the cement falls out, this allows rainwater to reach the upper side of the gable beam and rot results.

The method of cementing verges, the materials used and the state of repair vary considerably. If the rot in the gable beam is confined below the wall plate, then this can be replaced with new treated timber, free of charge.

If the rot is above this point, then it is highly probable, and desirable, that the whole gable beam has to be removed and replaced with new, treated, timber. An extra cost may be incurred, which will be listed separately on your quotation. (see possible Extras)

In the majority of cases, this procedure also requires the removal of the verge itself.

The whole process is conducted as follows:

- a) Remove the verge tiles;
- b) Remove the cemented verge and bedding tiles (or cloaking);
- c) Remove the rotten gable beam;
- d) Where necessary, treat all exposed timber with an industrial preservative;
- e) Fit the new, treated, gable beam;
- f) Fit new undercloaking (cement based)
- g) Fit the new uPVC bargeboards;
- h) Replace and cement the verge tiles, or alternatively fit uPVC dry verge systems;
- i) Seal the bargeboards to the undercloaking to stop possible water ingress.

There are no short cuts to this workmanship, which is not costly, but is probably the most vital section of your property to be fitted.


3. SOFFITS

Where wood or asbestos soffits are to be renewed, appropriate backing supports will be fitted. Soffits will be fitted either in a single piece, or for wider Soffits, individually boarded Tongue and Groove (not Hollow Soffit) will be used.

Soffits are fitted before the fascias and bargeboards, and are nailed into the underside of the tanalised timber fascia support enabling the elimination of visible fixing pins and preventing wind-induced soffit rattling.

Soffits vents will be fitted as standard unless requested otherwise by the customer.

CROSS-SECTION OF FASCIA AND SOFFIT



Explanation of diagram

- (A) Eaves fascia tray to support under felt and replace old and degraded sarking felt.
- (B) Stainless steel marine grade A4 polytop pin to fix uPVC fascia to new tanalised timber support.
- (C) New uPVC fascia board.
- (D) New tanalised timber to support roofing tiles and prevent warping of uPVC fascia board.
- (E) Stainless steel fixing pin to prevent vibration of soffit.
- (F) New uPVC soffit.
- (G) Silicone seal to prevent ingress of insects to roof space.
- (H) Tanalised timber batten to support rear of soffit.

4. CLADDING

All existing timber cladding is removed. If required, a water permeable membrane is fitted. Replacement fibreglass insulation will be quoted separately if required.

From a range of styles, new uPVC Cladding will be fitted using appropriate trims on any corners and windows. Cladding is fixed using marine grade stainless steel hidden pins.

uPVC Cladding will be fitted in six and seven metre lengths, thus eliminating the need for unsightly joins. Most companies use a standard five metre length.

5. RAINWATER SYSTEMS

From a range of round, square, deepflow and ogee section rainwater products, we will fit replacement gutters and downpipes to the customer's choice in available colours. (Generally white, black, brown or grey). Existing systems will only be refitted in exceptional circumstances.

The range available to suit the property will be discussed at the initial meeting.

6. POSSIBLE EXTRAS

On all quotations we have an area marked "possible extras". This allows for any unforeseen work, i.e. re-cementing gable tiles or replacing rotten gable beams, whilst at the same time making the customer aware of extra costs before commencement of the installation. Although we are very aware that nobody enjoys paying for extras, we feel it is not fair to include these in the original quotation because in a lot of cases they are not required.

The only three extra costs ever needed involve re-cementing gable verge tiles, replacing rotten gable beams or Licensed Asbestos Removal (see Asbestos sheet). We list these separately because it is not possible to view the condition of the gable beam until the existing timber has been removed; and when removing the timber bargeboards, although every care is taken not to disturb the cementing, in some cases it cannot be avoided. At Squaredeal, we believe in doing the job thoroughly and will therefore re-cement the tiles, as explained in our specification, and not "face up" any damaged cement, which is not only bad building practice, but dangerous as well.

Should rotten beams be found, it is very important these are replaced and not just covered up to avoid this extra work, as failure to do this can cause ingress of rot into other areas of the roof structure.

Should the need for any of this work become apparent, we will immediately inform you of any costs involved before any work is commenced.

Please note, however, that the above is the worst case scenario, and **in the majority of installations is not required at all**. Should your quotation state "no extras", then no additional charge will be made to the stated contract amount.

7. QUALITY CONTROL

Once the installation has been completed, our surveyor will contact you and make an appointment to carry out a detailed inspection of the installation. Unlike most home improvement companies, we at **SQUAREDEAL** feel that it is important to ensure that every installation is carried out to the same high standards, and that every customer is completely satisfied with every aspect of the works.

Should the surveyor find any problem with the installation, he will arrange for the required remedial work to be carried out before any payment is made by the customer.

SUMMARY

Fasciaboards, together with Gable Ends, emphasise the main character of the Property. Over the period of its life, good quality uPVC represents a good investment compared with alternative maintenance methods, including painting.

We will in no way alter the character of your property unless we thought that it was structurally or cosmetically beneficial. In particular, the character of the Bargeboards and End Boxes will be maintained or enhanced.

On completion of all works, your property will be left clean and tidy, with all rubbish being removed.

We are pleased to be able to offer Bargeboards and Cladding in 7 metre lengths, thus, in many cases, reducing the need for joints. Remember, the more joints you see, the more unsightly the installation looks.

SQUAREDEAL STRONGLY recommends the use of Tanalised Timber Fascia Support, not only for the aforementioned reasons, but because we believe it to provide a solid foundation. It is therefore a key reason why we are able to provide a 10 year guarantee on our workmanship.

We hope you have found this to be interesting and informative, but should you require any further information, please do not hesitate to contact us.

SQUAREDEAL INSTALLATION CHECK SHEET

Customer Name

Address

Installation Team

FASCIA BOARDS		PASS	FAIL	SOFFIT BOARDS		PASS	FAIL
01	All timber removed			14	Existing soffits removed		
02	New tanalised timber installed			15	Soffit securely fitted		
03	All fascia straight			16	Joint minimised		
04	UPVC fascia tight to tiles			17	All soffits sealed		
05	Fascia pins at correct intervals			18	All window trims reinstated		
06	Fascia lip tight to soffit			19	All cables hidden		
07	Fascia joints minimised						
09	Internal/external corner joints fitted						
10	Overflow pipes cut tight						
11	Window openers Clearing fascia lip						
12	Fascia trays correctly installed						

BARGE BOARDS		PASS	FAIL	GUTTERING		PASS	FAIL
22	Existing timber removed			27	Support brackets at 1mtr intervals		
23	Joints minimised			28	Guttering straight and run to falls		
24	Bargeboards sealed to tile undercroaking			29	Gutter joints fitted to stops		
25	Fascia pins at correct intervals			30	Joint to neighbors watertight		
26	Box end neatly finished			31	Downpipes are straight.		
				32	Downpipes fitted into ground correctly		

MISCELLANEOUS (where applicable)		PASS	FAIL	CLADDING		PASS	FAIL
35	Gable end tiles re cemented			42	Cladding boards level		
34	Bird combs fitted			43	Relevant cladding trims fitted		
35	Soffit ventilators fitted			44	Joint trims straight		
36	Soffit ventilators fitted			45	Sealed where required		
37	Telephone bracket securely fitted			46	Joints minimised		
38	Television aerial securely fitted						
39	All new fascia/soffit cleaned						
40	All rubbish cleaned away						
41	Cleaner kit supplied						

Areas to be rectified

.....

.....

.....

.....

.....

.....

Rectification to be completed by:

Satisfactory completion

Date

Signed



SQUAREDEAL

ESTABLISHED 1987



UNIT J2
DOMINION WAY
RUSTINGTON
WEST SUSSEX
BN16 3HQ

Tel: 01903 776357
www.squaredealupvc.co.uk
email: info@squaredealupvc.co.uk

UNIT D16
BARWELL BUSINESS PARK
LEATHERHEAD ROAD
CHESSINGTON
SURREY KT9 2NY

form of guarantee

to _____
(hereinafter called "the customer")

contract location and description of work _____

_____ (hereinafter called "the installation")

We hereby guarantee the installation carried out by us for a period of 10 (Ten) years from _____ being the date of practical completion of the Installation (hereinafter called "the Guarantee Period"). If any defect develops in the Installation and is reported in writing to Squaredeal within the Guarantee Period and is proved to be due to the bad workmanship of Squaredeal, Squaredeal will rectify the defect without charge to the Customer. Squaredeal's liability under this guarantee shall be limited to the price paid by the customer to Squaredeal for the Installation.

conditions:

The customer shall have no claim pursuant to this Guarantee unless:

1. Full payment for the Installation including any retentions has been made within 30 days of practical completion.
2. Any alleged defect is reported to Squaredeal in writing immediately upon its discovery.
3. Notice in writing is given to Squaredeal before the Installation is disturbed in any way apart from any emergency action whether in the course of inspection or otherwise to enable the Independent Authorised Installer to investigate the alleged defect.
4. All facilities which may reasonably be required to facilitate inspection of the alleged defect are made available without delay and the co-operation and collaboration of the Customer is forthcoming.
5. The Customer agrees to the rectification of the defect being executed by Squaredeal.
6. All preliminary work necessary to facilitate investigation of the alleged defect and its rectification if proven is commenced without delay.
7. Squaredeal being permitted by the Customer to commence rectification work immediately the appropriate method of rectification has been mutually agreed.

exclusions:

There shall be no liability under this guarantee in respect of:

1. Fair wear and tear.
2. Any defect arising in the Installation or affected section of the Installation if any work has been executed by a third party other than a subcontractor to Squaredeal.
3. Consequential loss of any kind.
4. Blocked down pipes.
5. Brown/Black/Grey, rainwater systems do not carry any colourfast guarantee.

Signed:

for and on behalf of _____

Squaredeal

notes:

1. This guarantee is additional to and not in substitution of your legal rights and remedies.
2. This guarantee is not insurance-backed unless it is accompanied by a certificate of insurance.



HomePro Insurance
Prenton Business Park,
Prenton, Wirral, CH43 3EA
tel: 08707 344 344
fax: 08707 38 48 68
www.homeproinsurance.co.uk
www.homepro.com
www.fairtrades.co.uk

Name
Address 1
Address 2
Address 3
Address 4
Post Code

07/06/2011

Certificate of Insurance

This certificate is evidence that the Person Insured, as detailed below, is entitled to the benefit of the policy provided the Administrator has received the premium.

In all respects the terms and conditions of the policy shall prevail.

General Details	
Administrator	HomePro Insurance
Insurer	Red Sands Insurance Company (Europe) Limited
Certificate Number	12345678
Person Insured	Name
Contract Location (The Works)	Address 1
	Address 2, Address 3
	Address 4
	Post Code
	xxxx
Level of Cover	xxxx
Contractor	A1 Building
Membership Number	A1234567
Description of Work	xxxxxx

Warranty Cover	
Period of insurance	XX years or the period of the contractors written guarantee, whichever is the lesser
Cover Expiry Date	XX/YY/ZZ
Sum Insured	£ XXXXXX
Excess on Claims	£ 50

Please read carefully the enclosed terms and conditions and information about the claims and the complaints process. If you did not receive a copy of these terms and conditions with this letter, or if you have any other queries, please contact the Sales and Service Team on the number above, quoting your certificate number, and we will send one out to you.

For and on behalf of the Administrator

HomePro, HomePro.com, HomePro Insurance and FairTrades are trading names of FairTrades Limited and HomePro Limited.
FairTrades Limited, registered in England Company Number 1813671, is a wholly owned subsidiary of HomePro Limited registered in England
Company Number 3833733. Registered Office: Prenton Business Park, Prenton, Wirral, CH43 3EA.
HomePro Ltd is authorised and regulated by the Financial Services Authority.



concord

PVC ROOFLINE

15 Year Cellular PVC-ue Product Guarantee

SBP limited ("SBP") guarantees that white PVC-ue profiles supplied under the Concord brand ("profiles") will retain their decorative and mechanical function for a period of **fifteen years** from the date of manufacture, provided they are installed and maintained in accordance with the procedures detailed in the British Plastics Federation Codes of Practice.

For the avoidance of doubt the profiles are guaranteed to perform in accordance with the colourfastness criteria defined within BS7619.

In addition they are guaranteed not to suffer from lead "pinking".

- This Guarantee will only apply to defects appearing within fifteen years from the date of supply and where notification in writing of such defects is received by SBP within 28 days of the defect appearing.
- The sole and exclusive remedy with regard to the above Guarantee is limited to the repair or supply of replacement profiles, at SBP's discretion.
- SBP does not make any other representations or guarantees and in no event shall SBP be liable for any other loss or damage whether direct or indirect (including but not limited to the cost of installation).
- This Guarantee does not cover non-white profiles, or white profiles which have been coated with any material.
- This Guarantee is limited to end use of profiles in Middle and Northern Europe (latitude 45° to 60°) and at elevations below 1800 metres above sea level.
- Claims in respect of this guarantee will only be met when accompanied by proof of purchase and following inspection and approval by SBP Technical Services.
- This guarantee does not cover any aspect of the installation of profiles.

In addition to the foregoing SBP standard terms of business shall apply.

This Guarantee shall be construed and interpreted in accordance with English law and shall be subject to the jurisdiction of English courts only.

This Guarantee does not affect the statutory rights of consumers.

Effective: 1st October, 2010

Effective 1st January, 2010

Swish[®]
BUILDING PRODUCTS

RAINWATER SYSTEM

Registered Guarantee

To activate this guarantee, please ensure that it is registered at www.swishbp.co.uk within one month of the installation date. Please ensure that all data is entered accurately as incorrect information may render the guarantee void. If assistance is required in registering a guarantee, please call (01827) 317212.

SBP Limited ("SBP") guarantees that PVC Rainwater Systems supplied under the Swish brand ("The Systems") will perform in accordance with the weathering and colourfastness criteria defined within BS EN 607 : 2004 and BS 12200 : 2000, provided they are installed in accordance with the Swish Rainwater Installation Guide (A604) and BS EN 12056-3 : 2000.

- This Guarantee will only apply to defects appearing within ten years from the date of manufacture and where notification in writing of such defects is received by SBP within 28 days of the defect appearing.
- The sole and exclusive remedy with regard to the above Guarantee is limited to the repair or supply of replacement products, at SBP's discretion.
- SBP does not make any other representations or guarantees and in no event shall SBP be liable for any other loss or damage whether direct or indirect (including but not limited to the cost of installation).
- This Guarantee applies only to White, Black and Brown co-extruded Systems. It does not cover components which have been coated with any material.
- No further guarantees are offered on durability, impact resistance, abrasion resistance, stain resistance, resistance to scratching or performance under abnormal weather conditions, fair wear and tear; aggressive industrial conditions, inappropriate applications or malicious/ accidental damage.
- This Guarantee is limited to end use of The Systems in Middle and Northern Europe (latitude 49° to 60°) and at elevations below 1800 metres above sea level and where annual solar radiation is less than 80 Kiloangleys.
- Claims in respect of this guarantee will only be met when accompanied by proof of purchase and following inspection and approval by SBP Technical Services. The guarantee shall not apply where components from other manufacturer's systems form part of the installation.
- This guarantee does not cover any aspect of the installation of The Systems or damage caused because of poor fascia quality or installation techniques. The ongoing watertightness of the system is deemed to be covered by the installation guarantee offered by the Installer and does not form part of this guarantee. (A separate installation guarantee is available via Swish Approved Installers and Commercial Contractors).
- In order for the guarantee to become effective it must be registered at www.swishbp.co.uk within one calendar month of the completion of the installation. When the property is sold, the new owners should register the change within a month of the sale date in order to receive the benefits outlined above.

In addition to the foregoing SBP standard terms of business shall apply.

This Guarantee shall be construed and interpreted in accordance with English law and shall be subject to the jurisdiction of English courts only.

This Guarantee does not affect the statutory rights of consumers.

SBP Limited
Lichfield Road Industrial Estate, Tamworth, B79 7TF Tel: (01827) 317200/Fax: (01827) 317201
E-mail: marketing@swishbp.co.uk

www.swishbp.co.uk

10 Year Guarantee

Asbestos

Asbestos is the UK's No 1 occupational killer and it has been estimated that over 4000 people die from asbestos related diseases each year.

Asbestos is commonly found contained within the soffits and guttering fitted to properties built prior to 1999.

Asbestos comes in three types

1. Crocidolite (Blue)
2. Amosite (Brown)
3. Chrysotile (white)

Of the three types of asbestos Crocidolite and Amosite are considered to be the most hazardous and can only be removed by a fully licensed specialist contractor.

Chrysotile cement bonded asbestos (most commonly found in gutters and soffits)

Can only be removed by individuals who have completed an HSE approved UKATA asbestos awareness and removal training course.

IT IS ILLEGAL AND EXTREMELY HAZARDOUS FOR ANY PERSON TO REMOVE ASBESTOS CONTAINING PRODUCTS WITHOUT HSE APPROVED TRAINING

All Squaredeal installers have completed the relevant HSE approved UKATA asbestos awareness and removal course.

Prior to the commencement of work to your property Squaredeal will obtain samples of suspected asbestos containing products and have them scientifically analysed.

The written results of the sampling will then be provided to the house owner free of charge.

Should the sample be found to contain Crocidolite or Amosite, Squaredeal will provide an additional quotation to for the removal of these products.

Should the samples contain chrysotile, squaredeal will professionally remove the products at no extra cost.

REMEMBER: BEFORE ALLOWING ANY WORK TO COMMENCE TO YOUR PROPERTY INSIST ON INSPECTING THE CONTRACTORS ASBESTOS TRAINING CERTIFICATION.



Glenfrome House,
Eastgate Road, Eastville,
Bristol BS5 6XX

Tel: 0845 050 8750 Fax: 0845 290 3781

Email: info@encompassed.co.uk
www.encompassed.co.uk

Non Licensed Asbestos Removal Training Certificate of Competence

Provided by Encompassed Ltd in line with CAR 2006

This certificate confirms that the delegate successfully completed
the above course on
18th May 2009

The delegate was subject to a face-fit test, the following respirator is
suitable for this delegate – Bettafit P3 3030v Universal



UKATA | UNITED KINGDOM
ASBESTOS TRAINING
ASSOCIATION

Encompassed is a UKATA registered Asbestos Training Provider



Delegate Name: **David Thomas**

Client: **Square Deal**

Adam Burns
Managing Director of Encompassed Ltd

